



**Adinath**  
Create, Enhance & Sustain

## CuZn36:LEAD FREE BRASS

### Specification Sheet

#### DESCRIPTION

CuZn36 is commonly referred as C27000 or CW507L offers moderate mechanical strength. CuZn36 is considered cost-effective because of the high zinc content and has good cold forming properties which meets the demand of many applications.



#### CHEMICAL COMPOSITION

Element	Cu	Al	Fe	Ni	Zn	Pb	Sn	Oi
Min (%)	63.50	-	-	-	Balance	-	-	-
Max (%)	65.50	0.02	0.05	0.30		0.05	0.10	0.10

Note: Ni includes Co; Cu+ named elements >= 99.5%; Unless otherwise noted, single values represent maximums.

#### SHAPE



**SOLID ROUND BARS**  
Size Range :  
Dia 8 mm up to 120 mm



**SOLID HEX BARS**  
Size Range :  
A/F 10 mm up to 100 mm



**SOLID SQUARE BARS**  
Size Range :  
A/F 10 mm up to 90 mm



**SOLID RECTANGLE BARS**  
Size Range :  
A/F 10 x 12 mm up to 100 x 50 mm



**HOLLOW BARS**  
Outer Diameter : In Round, Hex & Square  
Size Range : 30 mm up to 120 mm  
Inner Diameter : Round  
Size Range : 20 mm up to 80 mm



**PROFILES & SECTIONS**  
As per Customers' Drawing



**BAR LENGTH**  
Length : Up to 4 Meters.  
Delivery Condition : As Extruded or Cold Drawn.

**STRAIGHT KNURLING**



**CROSS KNURLING**



Straight Knurling & Cross Knurling will be available upon shape & size Feasibility of Brass Rod

# CuZn36:LEAD FREE BRASS



## MECHANICAL PROPERTIES

Round (Dia)					
Range (mm)	UTS Min (MPA)	PS Min (MPA)	Elongation Min (%)	Hardness (HRB)	
Over 2 to 75 Inclusive	350 - 440	170	28	-	
HEX (A/F)					
Range (mm)	UTS Min (MPA)	PS Min (MPA)	Elongation Min (%)	Hardness (HRB)	
Over 3 to 70 Inclusive	350 - 440	170	28	-	
Square (A/F)					
Range (mm)	UTS Min (MPA)	PS Min (MPA)	Elongation Min (%)	Hardness (HRB)	
Over 3 to 60 Inclusive	350 - 440	170	28	-	
Rectangle					
Range (mm)	UTS Min (MPA)	PS Min (MPA)	Elongation Min (%)	Hardness (HRB)	
Thickness	3 to 50 Inclusive	350 - 440	170	28	-

## PACKING



-  PVC Pipe Packing for Small Diameter Rods.
-  Hessian Cloth Packing.
-  Wooden Box Packing as per Customer requirements.

## FABRICATION PROPERTIES

Soldering	Brazing	Machinability Rating
Excellent	Good	70

## TYPICAL USES

Product Category	Product
Architecture	Grillwork, Handrails.

# CuZn36:LEAD FREE BRASS



Product Category	Product
Auto Motive	Radiator Cores, Tanks.
Builders Hardware	Finish Hardware, Hinges, Kick Plates, Locks, Push Plates, Stencils.
Electrical	Flashlight Shells, Lamp Fixtures, Reflectors, Screw Shells, Socket Shells.
Fasteners	Eyelets, Fasteners, Grommets, Pins, Rivets, Screws.
Industrial	Bead Chain, Chain, Springs.
Marine	Fasteners.
Plumbing	Plumbing Accessories, Sink Strainers.

## VALUE ADDED SERVICES

AEPL manufactures and supplies Copper Alloys Extruded Bars to Domestic as well as International Markets. Our customer base has a key advantage since our Foundries, Laboratories, Extrusion Mill, Shell Mouldings and CNC Machine shop are all located on a single site, which eliminates waste and allows excellent quality control at each stage. Our ability to reclaim swarf and machined chips allows us to offer competitive pricing for the parts that we either extrude or cast.

### Casting Range




25 Grams to 10 Kgs

### Forging Sizes



50 Grams to 6 Kgs

### Machining Sizes



1 mm to 200 mm

### CONNECT WITH US Adinath Extrusion Pvt. Ltd.

Plot No. 4051-4055,  
Bhagwan Mahavir Swami Marg,  
G.I.D.C., Phase-III, Dared,  
Jamnagar - 361004, Gujarat, India.

+91 7600 55 9243 +91 288 2730868  
sales@adinathextrusion.com,  
marketing@adinathextrusion.com  
www.adinathextrusion.com

